


# HSTT1eS System

HSTT1eS

## Drawing



Pos.	File name	Name	Drawing No.	Rev.
1	M HS01-10 90 01 01 HSTT1_torque_meter_prev	HSTT1 torque meter	M HS01-10 90 01 01	1
2	M HS01-20 90 01 01 HSTT1eS_stator_prev	HSTT1eS stator	M HS01-20 90 01 01	1


 <b>ATESTEO</b> ATESTEO GmbH & Co. KG Konrad-Zuse-Str. 3 52477 Alsdorf Germany Phone: +49 2404 9870-570	Allgemeintoleranz / General tolerance DIN ISO 2768 - m	Oberfläche / Surface DIN ISO 1302	Maßstab / Scale 1 : 1
	Datum / Date Design 15.03.2023	Name DM	rated torque / rated torques: see rotor drawing for details
<b>HSTT1eS system</b>			
system compilation			
M HS01-40 90 01 01			
Blatt/Sheet A3			
Rev. No. 1			

## HSTT1eS - System

# HSTT1eS Rotor

## HSTT1eS

### Drawing



#### Please note!

Due to the different thermal expansions of titanium compared to steel, we recommend using titanium flange adapters to connect the inner centered torque meter side. If a steel adapter flange is needed, we recommend using a **g5** fit.


 <b>ATESTEO</b> <small>ATESTEO GmbH &amp; Co. KG Konrad-Zuse-Str. 3 52477 Alsdorf Germany Phone: +49 2404 9870-570</small>	Allgemeintoleranz / General tolerance DIN ISO 2768 - m	Oberfläche / Surface DIN ISO 1302	Maßstab / Scale 4 : 3
	Datum / Date Design 14.03.2023	Name DM	rated torque / rated torques: 50 Nm & 100 Nm
<b>HSTT1 torque meter</b>			
rotor dimensions			
M HS01-10 90 01 01			
Blatt/Sheet A3			
Rev. No. 1			

## HSTT1eS - Rotor

# HSTT1eS Stator

## HSTT1eS

### Drawing




HSTT1eS - Stator

# TCU2

# HSTTeS

## Drawing



## HSTTeS - TCU2

©2025, ATESTEO GmbH & Co. KG, This product data sheet was created on 07.25.2025.

The information contained in the product data sheet corresponds to the status quo at the time the document was created. ATESTEO continually further develops its products and reserves the right to make changes to the technical data. ATESTEO does not accept any liability for consequential losses arising from the use of this product data sheet or the information contained therein.